



irritime

ELF PC DRIPPER



Kod Code	PC Hat Üstü Damlatıcı PC DRIPPER	Renk Colour	Paketleme-Koli Packaging-Box
IR-OPD-2	2 Lt/h-Lt/sa	Blue - Mavi	2000
IR-OPD-3	3 Lt/h-Lt/sa	Grey - Gri	2000
IR-OPD-4	4 Lt/h-Lt/sa	Green - Yeşil	2000
IR-OPD-6	6 Lt/h-Lt/sa	Black - Siyah	2000
IR-OPD-8	8 Lt/h-Lt/sa	Brown - Kahverengi	2000
IR-OPD-12	12 Lt/h-Lt/sa	Red - Kırmızı	2000
IR-OPD-16	16 Lt/h-Lt/sa	Purple - Mor	2000

ELF PC Dripper;

Provides 100% homogeneous water and food distribution over a wide pressure range for more uniform and high throughput.

Ensures consistent flow rate and smooth operation.

The number of drippers can be easily increased to reach enough water for your plant.



Easy installation even on the most difficult surfaces without the use of a drill with its special design.





irritime

ELF PC DRIPPER

Application Areas;

- Openable Dropper; can be easily cleaned by users.

Self-cleaning:

Foreign matter
the system to ensure that the dropper
to make it work.

- High UV resistance.

- Stable performance and long
original for life

made of raw materials.

- Recommended filtration;

120 mesh - 130 micron.

- Production variation coefficient,
CVm < 5%, high field emission
ensures equality.


- Drill diameter 2.9 mm.

- 5mm Spaghetti Pipe connection.



ELF PC Multifunction output.

-With the new multifunctional ELF drippers, multiple outlets can be provided with 5 mm manifold types and 5 mm spaghetti tubes.





irritime

ELF PC DRIPPER



Debi (Flow rate)	Basınç (Pressure) (bar)							
	0,5	1	1,5	2	2,5	3	3,5	4
lph								
2lt	1,8	2,12	2,31	2,01	2,02	2,01	1,92	1,92
3lt	2,2	2,8	3,1	3,2	3,2	3,2	3,3	3,4
4lt	4,4	4,14	3,9	3,9	3,9	3,89	3,89	3,89
6lt	5,2	5,8	6	6,1	6,1	6,1	6,3	6,4
8lt	6,11	7,1	8	8,64	8,73	8,71	8,7	8,72
12lt	8,29	9,81	12,04	12,06	12,05	12,07	11,9	11,82
16lt	13,55	14,86	16,01	16,05	16,04	16,04	15,95	15,86

